

S14 Colored

S14



120V | 30,000 HOURS | MEDIUM (E26) BASE | 20/200 PACK |

ITEM#	DESCRIPTION	WATTAGE
<input type="checkbox"/> 80361	S14/30LED/MED/CLEAR	0.9
<input checked="" type="checkbox"/> 80362	S14/30LED/MED/BLUE	0.9
<input checked="" type="checkbox"/> 80363	S14/30LED/MED/GREEN	0.9
<input checked="" type="checkbox"/> 80364	S14/30LED/MED/RED	0.9
<input checked="" type="checkbox"/> 80365	S14/30LED/MED/YELLOW	0.9
<input checked="" type="checkbox"/> 80366	S14/30LED/MED/AMBER	1.7
<input type="checkbox"/> 80333	S14/LED/2W/CLEAR/WW	2

MR16 Colored Mini Reflector



Remote controllable

12V | 50,000 HOURS | BI-PIN BASE | 12 PACK |

ITEM#	DESCRIPTION	WATTAGE
<input checked="" type="checkbox"/> 80231	MR16/LED/5W/RGB/12V	5

T10 | Tubular Indicator



120V | 30000 HOURS | CANDELABRA (E12) | 10 PACK |

ITEM#	DESCRIPTION	WATTAGE
<input checked="" type="checkbox"/> 80256	T10/LED/0.5W/C/B	0.5
<input checked="" type="checkbox"/> 80268	T10/LED/0.5W/C/G	0.5
<input checked="" type="checkbox"/> 80269	T10/LED/0.5W/C/R	0.5
<input checked="" type="checkbox"/> 80272	T10/LED/0.5W/C/Y	0.5

120V | 30000 HOURS | MEDIUM (E26) | 10 PACK |



ITEM#	DESCRIPTION	WATTAGE
<input checked="" type="checkbox"/> 80251	T10/LED/1W/B	1
<input checked="" type="checkbox"/> 80252	T10/LED/1W/G	1
<input checked="" type="checkbox"/> 80253	T10/LED/1W/R	1
<input checked="" type="checkbox"/> 80255	T10/LED/1W/Y	1



Call RP Supply at 215-396-9400 to place your order today!

Colored Series

JDR



120V | 30000 HOURS | MEDIUM (E26) | 12 PACK |

ITEM#	DESCRIPTION	WATTAGE
80195	JDR/LED/2.8W/B	2.8
80196	JDR/LED/2.8W/G	2.8
80198	JDR/LED/2.8W/Y	2.8
80197	JDR/LED/2.8W/R	2.8
80194	JDR/60LED/2.8W/W	2.8

MR16 | GU5.3 Base



12V | 30000 HOURS | GU5.3 | 12 PACK |

ITEM#	DESCRIPTION	WATTAGE
80305	MR16/LED/2W/GU5.3/12V/B	2
80308	MR16/LED/2W/GU5.3/12V/G	2
80317	MR16/LED/2W/GU5.3/12V/Y	2
80309	MR16/LED/2W/GU5.3/12V/R	2

MR16 | GU10 Base



120V | 30000 HOURS | GU10 | 12 PACK |

ITEM#	DESCRIPTION	WATTAGE
80326	MR16/LED/2.8W/GU10/B	2.8
80327	MR16/LED/2.8W/GU10/G	2.8
80329	MR16/LED/2.8W/GU10/Y	2.8
80328	MR16/LED/2.8W/GU10/R	2.8

UV Series | Blacklights

A19 | 365 NM



120V | 25,000 HOURS | MEDIUM (E26) BASE | 12 PACK |

ITEM#	DESCRIPTION	WAVE LENGTH	WATTAGE
80114	A19/LED/2W/BLB	365nm	2



Blinking Light

A19 | BLINKING LIGHT



NEW



BLINKING

120V | 25,000 HOURS | MEDIUM (E26) BASE | 12 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80204	A19/LED/5W/BL/WW	500	5



Call RP Supply at 215-396-9400 to place your order today!

Colored A-Type

A19 | Carded Pack



120V | 30000 HOURS | MEDIUM (E26) | 12 PACK |

ITEM#	DESCRIPTION	WATTAGE
80145	A19/3W/B/LED/CD1	3
80146	A19/3W/G/LED/CD1	3
80147	A19/3W/O/LED/CD1	3
80148	A19/3W/R/LED/CD1	3
80149	A19/3W/Y/LED/CD1	3
80168	A19/3W/P/LED/CD1	3



The Wildlife Lighting Certification Program is a cooperative effort between the Florida Fish and Wildlife Conservation Commission and the U.S. Fish and Wildlife Service designed to educate the members of the public, the building industry, and government officials how to minimize adverse impacts to wildlife by using proper lighting methods.

Each year, thousands of sea turtle species hatchlings become disoriented and up to 80 percent die because of light pollution, according to the Florida Fish & Wildlife Conservation Commission. The lighting is designed to minimize the impacts of exterior lighting on nesting sea turtles and their hatchlings.

G21

Color Changing



7 Colors



120V | 30000 HOURS | MEDIUM (E26) | 12 PACK |

ITEM#	DESCRIPTION	WATTAGE
80261	G21/LED/1.5W/RGB	1.5

C7 & C9 Colored Night Lights

C7



6 Pack

120V | 50,000 HOURS | CANDELABRA (E12) BASE | 20 PACK |

ITEM#	DESCRIPTION	WATTAGE
80700	L3C7/LED/B/6PK	0.4
80701	L3C7/LED/G/6PK	0.4
80702	L3C7/LED/R/6PK	0.4
80703	L3C7/LED/W/6PK	0.4
80704	L3C7/LED/Y/6PK	0.4

C9



6 Pack

120V | 50,000 HOURS | INTERMEDIATE (E17) BASE | 20 PACK |

ITEM#	DESCRIPTION	WATTAGE
80705	L3C9/LED/B/6PK	0.4
80706	L3C9/LED/G/6PK	0.4
80707	L3C9/LED/R/6PK	0.4
80708	L3C9/LED/W/6PK	0.4
80709	L3C9/LED/Y/6PK	0.4



Call RP Supply at 215-396-9400 to place your order today!

Colored Pars

PAR20



120V | 30,000 HOURS | MEDIUM (E26) BASE | 12/24 PACK |

ITEM#	DESCRIPTION	WATTAGE
80003	PAR20/LED/2W/R	2
80010	PAR20/LED/2W/A	2
80005	PAR20/LED/4W/Y	4
80001	PAR20/LED/3W/B	3
80002	PAR20/LED/3W/G	3

PAR30



120V | 30,000 HOURS | MEDIUM (E26) BASE | 12/24 PACK |

ITEM#	DESCRIPTION	WATTAGE
80023	PAR30/LED/3W/R	3
80033	PAR30/LED/3W/A	3
80025	PAR30/LED/3W/Y	3
80021	PAR30/LED/4W/B	4
80022	PAR30/LED/4W/G	5

PAR38



120V | 30,000 HOURS | MEDIUM (E26) BASE | 6/12 PACK |

ITEM#	DESCRIPTION	WATTAGE
80043	PAR38/LED/4W/R	4
80068	PAR38/LED/4W/A	4
80045	PAR38/LED/4W/Y	4
80041	PAR38/LED/6W/B	6
80042	PAR38/LED/6W/G	6

Outdoor Colored Pars

PAR38



120V | 25,000 HOURS | MEDIUM (E26) BASE | 6 PACK |

ITEM#	DESCRIPTION	WATTAGE
80550	PAR38/LED/8W/FL35/B	8
80552	PAR38/LED/8W/FL35/G	8
80554	PAR38/LED/8W/FL35/O	8
80556	PAR38/LED/8W/FL35/R	8
80558	PAR38/LED/8W/FL35/Y	8



The Wildlife Lighting Certification Program is a cooperative effort between the Florida Fish and Wildlife Conservation Commission and the U.S. Fish and Wildlife Service designed to educate the members of the public, the building industry, and government officials how to minimize adverse impacts to wildlife by using proper lighting methods.



Call RP Supply at 215-396-9400 to place your order today!